1	L Number	Hits	Search Text	DB	Time stamp
US-PGPUB; PO; DERWENT; IBM_TDB US-PGPUB; PO; PO; DERWENT; IBM_TDB US-PGPUB; PO; PO; DERWENT; US-PGPUB; PO; PO; DERWENT; IBM_TDB US-PGPUB; PO; PO; DERWENT; IBM_TDB US-PGPUB; PO; PO; PO; PO; DERWENT; IBM_TDB US-PGPUB; PO; P					2003/12/12 10:26
2 2 ("4798968").PN. Continue of the property		_	,		, .
DERWENT; IBM_TDB USPAT; US-PGPUB; PPO; JPO; DERWENT; US-PGPUB; PPO; JPO; DERWENT; US-PGPUB; PPO; JPO; DERWENT; USPAT; USP					
2 ("4798968").PN. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; US-PGPUB; EPO; JPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
2 ("4798968").PN. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB;	2	2	("4798968").PN.		2003/12/12 10:26
Sept. Sept	-	-	(
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; IBM_TDB					
18M_TDB 19PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 19PAT; US-					
3 2 ("4581504").PN. USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IB					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	3	2	("4581504").PN.		2003/12/12 10:30
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPU		_	(
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT				•	
SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; I					
4 654 307/10.7 6 524 307/10.7 and battery 5 524 307/10.7 and battery 6 37 (307/10.7 and battery) and (circuit adj breaker) 7 2 ((307/10.7 and battery) and (circuit adj breaker)) and ((metal mounting) adj plate) 8 734 429/7 6 655 429/7 and battery 9 655 429/7 and battery 2 003/12/12 10:37 2 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DER					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	اما	654	307/10 7		2003/12/12 10:30
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; DERWENT; ISPO; JPO; DERWENT; US-PGPUB; EPO; J	'	05 1	307/10.7		2005/12/12 10:50
DERWENT; IBM_TDB USPAT;					
S					
5					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; IPO; IPO; IPO; IPO; IPO; IPO; IPO; I	_	524	307/10 7 and hatten/		2003/12/12 10:37
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISP-PGPUB; EPO;		324			2003/12/12 10.37
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; DERWENT; US					
6 37 (307/10.7 and battery) and (circuit adj breaker) 7 2 ((307/10.7 and battery) and (circuit adj breaker)) and ((metal mounting) adj plate) 8 734 429/7 9 655 429/7 and battery 1BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	l i				
6 37 (307/10.7 and battery) and (circuit adj breaker) 7 2 ((307/10.7 and battery) and (circuit adj breaker)) and (circuit adj breaker) and (circuit adj breaker) 9 734 (29/7) 2003/12/12 10:37 9 655 (429/7) and battery 9 655 (429/7) and battery 9 657 (307/10.7) and battery) and (circuit adj breaker) and (circuit adj breaker) 9 10 03/12/12 10:37 10 03/12/12 10:37 10 03/12/12 10:37 2003/12/12 10:37 2003/12/12 10:37 2003/12/12 10:37					
1	ا م	37	(307/10 7 and hatteny) and (circuit adi breaker)		2003/12/12 10:37
7 2 ((307/10.7 and battery) and (circuit adj breaker)) and (USPAT; ((metal mounting) adj plate) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB	0	37	(307/10.7 and battery) and (circuit adj breaker)		2005/12/12 10.57
7 2 ((307/10.7 and battery) and (circuit adj breaker)) and ((metal mounting) adj plate) 8 734 429/7 9 655 429/7 and battery DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
7 2 ((307/10.7 and battery) and (circuit adj breaker)) and (SPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;					
7 2 ((307/10.7 and battery) and (circuit adj breaker)) and (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	1				
((metal mounting) adj plate) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	7	2	(/307/10 7 and hatten/) and (circuit adi breaker)) and		2003/12/12 10:37
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;	'	2			2003/12/12 10.37
B 734 429/7 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;] [((mean mounting) adj plate)		
8 734 429/7 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DEPO; JPO; DEPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;					
8 734 429/7 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	ا و ا	734	429/7		2003/12/12 10:37
BPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;		/51	123/1		2005, 12, 12 10.57
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
9 655 429/7 and battery IBM_TDB USPAT; 2003/12/12 10:37 US-PGPUB; EPO; JPO;					
9 655 429/7 and battery USPAT; 2003/12/12 10:37 US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO;	ا م	655	429/7 and hattery		2003/12/12 10:37
EPO; JPO;		055	125/7 and buttory		-300, 12, 12 10.07
IBM_TDB					
	11	1	((429/7 and battery) and (circuit adi breaker)) and ((metal		2003/12/12 10:37
mounting) adj plate) US-PGPUB;	**	1		, ,	1000, 12, 12 10.07
EPO; JPO;			mountaing/ adj place/		
DERWENT;					
IBM_TDB]				
	10	30	(429/7 and battery) and (circuit adi breaker)		2003/12/12 10:38
US-PGPUB;	-	50	(125) / and bacciff and (another day broaker)		-300, 22, 32 30.00
EPO; JPO;					
DERWENT;					
IBM_TDB					

L Number	Hits	Search Text	DB	Time stamp
1	2	("5034620").PN.	USPAT;	2003/12/12 10:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
2	2	("4798968").PN.	IBM_TDB USPAT;	2003/12/12 10:26
2	2	(4730300).FN.	US-PGPUB;	2003/12/12 10.20
			EPO; JPO;	
İ			DERWENT;	
			IBM_TDB	
3	2	("4581504").PN.	USPAT;	2003/12/12 10:30
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
4	654	207/10 7	IBM_TDB	2002/12/12 10:20
4	654	307/10.7	USPAT; US-PGPUB;	2003/12/12 10:30
		'	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	524	307/10.7 and battery	USPAT;	2003/12/12 10:37
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	27	(207/10.7 and hatten) and (singuit add hundler)	IBM_TDB	2002/42/42 40:27
6	37	(307/10.7 and battery) and (circuit adj breaker)	USPAT; US-PGPUB;	2003/12/12 10:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	2	((307/10.7 and battery) and (circuit adj breaker)) and	USPAT;	2003/12/12 10:37
		((metal mounting) adj plate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	724	43077	IBM_TDB	2002/12/12 10:27
8	734	429/7	USPAT; US-PGPUB;	2003/12/12 10:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	655	429/7 and battery	USPAT;	2003/12/12 10:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
11	1	((429/7 and battery) and (circuit adj breaker)) and ((metal	USPAT;	2003/12/12 10:37
**	1	mounting) adj plate)	US-PGPUB;	2003/12/12 10.37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
10	30	(429/7 and battery) and (circuit adj breaker)	USPAT;	2003/12/12 10:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
12	8751	91.1	USPAT;	2003/12/12 10:43
	0,51		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

13	0	91.1 and (load adj sharing)	USPAT;	2003/12/12 10:55
			US-PGPUB;	·
			EPO; JPO;	
ı				
l			DERWENT;	
			IBM_TDB	
14	74	91.1 and (over adj voltage)	USPAT;	2003/12/12 10:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l			IBM_TDB	
15	1	(91.1 and (over adj voltage)) and (series adj pass)	USPAT;	2003/12/12 10:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	i		IBM_TDB	
1.0		04.4. and (do adi avanta)		2002/42/42 40.52
16	8	91.1 and (dc adj supply)	USPAT;	2003/12/12 10:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
17	1207	361/91.5	USPAT;	2003/12/12 10:52
17	1207	301/31.5		2003/12/12 10:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	Į		IBM_TDB	
18	0	361/91.5 and (load adj sharing)	USPAT;	2003/12/12 10:59
10		301/31:3 and (load adj sharing)	US-PGPUB;	2003/12/12 10.33
			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
19	92	361/91.5 and (over adj voltage)	USPAT;	2003/12/12 10:56
		Too, too and (or or any total go)	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
20	3	(361/91.5 and (over adj voltage)) and (series adj pass)	USPAT;	2003/12/12 10:57
			US-PGPUB;	
			EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	
21	2140	261/59		2002/42/42 40:55
21	2140	361/58	USPAT;	2003/12/12 10:55
	I		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	8	361/58 and (load adj sharing)	USPAT;	2003/12/12 10:55
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
23	158	361/58 and (over adj voltage)	USPAT;	2003/12/12 10:59
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
24	3	(361/58 and (over adj voltage)) and (series adj pass)	USPAT;	2003/12/12 10:59
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
L	L	<u> </u>	IBM_TDB	

25	380	361/93.9	USPAT;	2003/12/12 10:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	1
		•	IBM_TDB	
26	0	361/93.9 and (load adj sharing)	USPAT;	2003/12/12 10:59
			US-PGPUB;	
			EPO; JPO;	İ
			DERWENT;	
			IBM_TDB	
28	1	(361/93.9 and (over adj voltage)) and (series adj pass)	USPAT;	2003/12/12 10:59
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
27	32	361/93.9 and (over adj voltage)	USPAT;	2003/12/12 11:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u></u>		IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	49	((vehicle car auto) adj battery) same ((metal mounting)adj	USPAT;	2003/12/12 09:48
		plate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	722	(mounting adj plate) same battery	USPAT;	2003/12/12 09:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	0	(((mounting adj plate) same battery) same metal) same	USPAT;	2003/12/12 09:51
		attach	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_		///mounting adjustates arms hatten/) came metal) came	IBM_TDB	2002/12/12 00:51
5	8	(((mounting adj plate) same battery) same metal) same	USPAT;	2003/12/12 09:51
		attached	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	53	((mounting adj plate) same battery) same metal	USPAT;	2003/12/12 09:52
	33	((mounting day plate) same battery) same metal	US-PGPUB;	2003/12/12 03.32
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	49	((vehicle car auto) adj battery) same ((metal mounting)adj	USPAT;	2003/12/12 09:40
		plate)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	16767	(vehicle car auto) adj battery	USPAT;	2003/12/12 08:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	5	(((vehicle car auto) adj battery) same (circuit adj (breaker	USPAT;	2003/12/12 08:45
		interrupter))) same spring	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	122	((vehicle car auto) adj battery) same (circuit adj (breaker	USPAT;	2003/12/12 08:47
		interrupter))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	